

LEGEND OF THE FAO SOIL MAP OF AFRICA

NO	MAP SYMBOL	ASSOCIATED SOILS	INCLUSIONS	PHASE	AREA KHA	CLIMATE	VEGETATION	LITHOLOGY
1	Bv14-2/3b	Vc	Ge	petroclastic	24.37	2.16, 4.22	4q thornbush savanna, 7b temperate dry short-grass steppe	Precambrian: quartzite, arkose, chert, limestone; partly overlain with Kalahari: sand, ironstone, chaledony. Quaternary: lacustrine sediments
2	I-X-c			rock debris	8388	3.43, 3.26, 2.16, 3.61	4q thornbush savanna 8c tropical and subtropical semidesert 9b desert with isolated bushes	Basement complex: granite, gneiss, schist, phyllite. Basic and ultrabasic intrusive rocks: diorite, gabbro, peridotite. Precambrian: dolomitic schist, quartzite. Palaeozoic: quartzite, limestone
3	Je2B-1/2a		Ge		9	4.22	4e dry savanna	Recent alluvial deposits
4	Je2B-2a	Xh We	G Vp		129	4.22	4e dry savanna	Recent alluvial deposits
5	Je4B-2/3a	Se Ge	W O Bk		118	4.342	4d inundated savanna 4e dry savanna	Quaternary alluvial deposits
6	Je60	G	V Lc		241	4.342	4h reed swamps	Recent alluvial deposits
7	L174-1a	O	X Bt Bk		79	4.22	2d small-leaved rain-green dry forest with umbrella trees	Kalahari: sand, ironstone, chaledony. Quaternary: lacustrine sediments
8	QeS-1a	Ol	Qc Jc		182	4.22	4e dry savanna	Kalahari: sand, ironstone, chaledony
9	Qa7-1a	S _o	Zo		235	3.43, 3.46	8b very open shrubby succulents	Quaternary alluvial and coastal deposits
10	Qc10-1a	I			327	3.26	4q thornbush savanna	Kalahari: sand, ironstone, chaledony. Quaternary: lacustrine sediments
11	Qc2B-1a	Ge	F _o		221	2.16, 4.22	2d small-leaved rain-green dry forest with umbrella trees	Kalahari: sand, ironstone, chaledony, greenstone; granite outcrops.
12	Qc2B-1a	Ge P	V Sg		1371	4.342, 4.22	4e dry savanna	Quaternary: lacustrine sediments
13	Qc3B-1a	Qe Xk	Z VR		24 610	3.26, 2.16, 4.22	7b temperate dry short-grass steppe 4q thornbush savanna, 8n thorntrees and succulents	Kalahari: sand, ironstone, chaledony. Quaternary: lacustrine sediments
14	Ql9-1a	Lc	Je Vp i		5 316	3.26, 2.16	4p thornbush savanna	Precambrian: quartzite, arkose, chert, limestone, conglomerate; Karroo: clayey schist, sandstone, shale, arkose
15	Re6B-1ab	Zt	shifting sands		3 938	3.43, 3.44, 3.37	9b desert with isolated bushes	Quaternary coastal deposits; recent aeolian deposits
16	Sol3-1a	Qc Qi			1 751	4.22	7b temperate dry short-grass steppe	Kalahari: sand, ironstone, chaledony. Quaternary: lacustrine sediments

NO	MAP SYMBOL	ASSOCIATED SOILS	INCLUSIONS	PHASE	AREA kha	CLIMATE	VEGETATION	LITHOLOGY
17	Vp66-3bc	Bk Lc	l	Petrocalcic	383	2.16	4g thornbush savanna	Precambrian: quartzite, arkose, chert, limestone and conglomerate, partly or completely overlain with Kalahari sand, ironstone, chalcedony; Quaternary: lacustrine sediments
18	Xk24-2ab	Bk l	Lc Qc	Stony	24.410	3.23, 3.26, 3.43	4g thornbush savanna, 8c tropical and subtropical semidesert low vegetation 9b desert with isolated bushes	Basement complex: granite, gneiss, schist, phyllite, Palaeozoic: dolomite, limestone, quartzite, Karoo: clayey schist and tillite with Kalahari sand, ironstone, chalcedony
19	Yy2-1s	Yk			6.622	3.43, 3.44, 3.38	9b desert with isolated bushes	Precambrian: limestone and dolomite; Karoo: mafiolite and quartz porphyries
20	Yy8-1s		Yk Yh Zt	Petrogenic	888	3.38	9b desert with isolated bushes	Quaternary alluvial and eolian deposits
21	Zq12-1/2a	Zs	Qs		5.62	4.22	8e halophytic semidesert	Kalahari: sand, ironstone, chalcedony; Quaternary: lacustrine sediments

- Bv14-2/3b Vertic Cambisols,
medium to fine textured,
associated with Chromic Vertisols
Eutric Gleysol inclusions,
8-30% slope, rolling to hilly
- I-X-C Lithosols, Xerosols,
>30% slope, strongly dissected to mountainous
- Je38-1/2a Eutric Fluvisols,
coarse to medium textured,
associated with Eutric Gleysol inclusions,
0-8% slope, level to gently undulating
- Je39-2a Eutric Fluvisols,
medium textured,
associated with Haplic Xerosols and Eutric Planosols,
Gleysol and Pellic Vertisol inclusions,
0-8% slope, level to gently undulating
- Je49-2/3a Eutric Fluvisols,
medium to fine textured,
associated with Eutric Cambisols and Eutric Gleysols,
Planosol, Histosol and Calcic Cambisol inclusions,
0-8% slope, level to gently undulating
- Je60 Eutric Fluvisols,
associated with Gleysols,
Vertisol and Chromic Luvisol inclusions
- Lf74-1a Ferric Luvisols,
coarse textured,
associated with Arenosols,
Xerosol, Eutric Cambisol and Calcic Cambisol
inclusions,
0-8% slope, level to gently undulating
- Qa6-1a Albic Arenosols,
coarse textured,
associated with Luvic Arenosols,
Cambic Arenosol and Calcaric Fluvisol inclusions,
0-8% slope, level to gently undulating
- Qa7-1a Albic Arenosols,
coarse textured,
associated with Orthic Solonetz,
Orthic Solonchak inclusions,
0-8% slope, level to gently undulating
- Qc10-1a Cambic Arenosols,
coarse textured,
associated with Lithosols,
0-8% slope, level to gently undulating
- Qc26-1a Cambic Arenosols,
coarse textured,
associated with Eutric Gleysols,
Orthic Ferralsol inclusions,

- 0-8% slope, level to gently undulating
- Qc29-1a Cambic Arenosols,
coarse textured,
associated with Eutric Gleysols and Podzols,
Vertisol and Gleyic Solonetz inclusions,
0-8% slope, level to gently undulating
- QC38-1a Cambic Arenosols,
coarse textured,
associated with Albic Arenosols and Calcic Xerosols,
Solonchak, Vertisol and Regosol inclusions,
0-8% slope, level to gently undulating
- Q19-1a Luvic Arenosols,
coarse textured,
associated with Chromic Luvisols,
Eutric Fluvisol, Pellic Vertisol and Lithosol
inclusions,
0-8% slope, level to gently undulating
- Re68-1ab Eutric Regosols,
coarse textured,
Takyric Solonchak inclusions,
0-30% slope, level to hilly
- So13-1a Orthic Solonetz,
coarse textured,
associated with Cambic Arenosol and Luvic Arenosol
inclusions,
0-8% slope, level to gently undulating
- Vp55-3bc Pellic Vertisols,
medium to fine textured,
associated with Calcic Cambisols and Chromic Luvisols,
Lithosol inclusions,
8->30% slope, rolling to mountainous
- Xk24-2ab Calcic Xerosols,
medium textured,
associated with Calcic Cambisols and Lithosols,
Chromic Luvisol and Cambic Arenosol inclusions,
0-30% slope, level to hilly
- Yy2-1a Gypsic Yermosols,
coarse textured,
associated with Calcic Yermosols,
0-8% slope, level to gently undulating
- Yy8-1a Gypsic Yermosols,
coarse textured,
associated with Calcic Yermosol, Haplic Yermosol and
Takyric Solonchak inclusions,
0-8% slope, level to gently undulating
- Zg12-1/2a Gleyic Solonchaks,
coarse to medium textured,
associated with Orthic Solonchaks,

Albic Arenosol inclusions,
0-8% slope, level to gently undulating